

2019 - 2020 EDITION

#### INSPIRED DESIGN. CREATED FOR LIVING.



# CONTENTS.

TRIMLESS	10
TL38 TL46 TL63H TL73 TL73H TL83 TL100 TL100 TL100 TL120 TL140 TL170	11 12 13 14 15 16 17 18 19 20 21
TUNNEL	22
TL73HT TL100T TL120T	23 24 25
DIVIDER & CORNER	26
TL38C TL63C TL83C TL100C TL12C TL140C TL73RD	27 28 29 30 31 32 33
PANORAMIC	34
TL38P TL63P TL83P TL100P TL120P TL140P	35 36 37 38 39 40
SLIMLINE	42
TL70SL	42



#### TRIMLESS

Our Trimless fires are designed to be positioned beautifully into integrated walls or retrofitted into existing chimneys.

View the full range on page 10.



#### TUNNEL

Tunnel gas fires are two sided appliances allowing you to enjoy the beautiful flames and warmth from two rooms at once!

View the full range from page 22.



#### DIVIDER & CORNER

If you are looking to make a real statement, a corner fire or room divider fire may be the perfect choice.

View the full range from page 26.



#### PANORAMIC

The three side fires allow a totally unrestricted view of the fire from all sides of the room at the touch of a button.

View the full range from page 34.

#### SLIMLINE

With an innovative, versatile design the compact TL70sl is easy to install and simple to service.

View the TL70SL on page 42.



#### INTEGRATED HEAT BOX

The TL70sl is a versatile choice in most modern building applications.

View the integrated heat box on page 44.

#### UNIQUE STYLING

Vision Trimline fires offer a sense of true minimalist beauty. However, if your home style dictates, there can sometimes be a requiremen for a little more flare – even extravagance!

View the full range from page 48.






#### **TECHNOLOGY**

Our technology has exceeded beyond the average appliances on the market.

Find out more on page 56.



INTEGRATED HEAT BOX	44
UNIQUE STYLING	48
CONVENTIONAL THINKING	52
TECHNOLOGY	56
OPTIONAL EXTRAS	58
TECHNICAL SPECIFICATION	60
FLUE SYSTEMS	61
PRODUCT DIMENSIONS	61



UNIQUE
BURNING
LOGS
TECHNOLOGY.



WARMTH AT THE TOUCH OF A BUTTON.



**DOUBLE BURNER**FEATURE.

# TIMELESS DESIGNS TO MATCH ANY INTERIOR STYLE.



ANTI REFLECTIVE GLASS UPGRADE.



WIFI CONTROL UPGRADE.





## WELCOME.

The ability to control fire was a dramatic change in the development of humanity. Among many things it provided warmth, light and security. We believe this base connection still exists and is the reason why we still desire to use the fireplace as the central focal point of our living space.

The Vision Trimline range has been designed with the specific purpose of recreating that instinctive connectivity with nature.

Our innovative fires are skilfully engineered to allow a true trimless aspect with no distracting frames or visible workings, just fire. These highly efficient beautifully designed appliances are available in a variety of different sizes and can be positioned in virtually any part of your home.



#### TRIMLESS.


Our Trimless fires are designed to be positioned beautifully into integrated walls or retrofitted into existing chimneys. These highly efficient innovative gas fires are skilfully engineered allowing a truly trimless aspect. This means no distracting frames or visible mechanical workings, just fire.

With a choice of either landscape or portrait versions there is an option to suit all interiors. Meticulous attention has been paid to the fuel bed and flame patterns to ensure a perfect recreation of a natural, living fire, with large glass panes to allow unrestricted views.

## TL38 TRIMLESS.



# TL46 TRIMLESS.



# TL63H TRIMLESS.



# TL73 TRIMLESS.



# TL73H TRIMLESS.



## TL83 TRIMLESS.



# TL100 TRIMLESS.




# TL100 SILHOUETTE.



#### TL120 TRIMLESS.



# TL140 TRIMLESS.



20

## TL170 TRIMLESS.



# TUNNEL.

Tunnel gas fires are two sided appliances allowing you to enjoy the beautiful flames and warmth from two rooms at once! Perfect for modern open plan homes or they can be used to make a beautiful room divider. Choose from three different size options in both natural gas and LPG.

# TL73HT TUNNEL.



# TL100T TUNNEL.



## TL120T TUNNEL.




#### **ROOM DIVIDER & CORNER.**

If you are looking to make a real statement, a corner fire or room divider fire may be the perfect choice. The highly efficient corner fire allows you to view the beautiful flames from different angles and is available in either left-sided or right-sided options. The stylish TL73 Room Divider is a unique three sided fire ideal for partitioning space, allowing the flames to be enjoyed from different aspects, or even different rooms.

# TL38C CORNER.




# TL63C CORNER.



## TL83C CORNER.



## TL100C CORNER.



# TL120C CORNER.



#### TL140C CORNER.




# TL73RD ROOM DIVIDER.




# PANORAMIC.

These stunning fires make an amazing centrepiece in any home. The three side fires allow a totally unrestricted view of the fire from all sides of the room at the touch of a button. Choose from six different size options, available in both natural gas and LPG.

## TL38P PANORAMIC.



# TL63P PANORAMIC.



#### TL83P PANORAMIC.




## TL100P PANORAMIC.



### TL120P PANORAMIC.



#### TL140P PANORAMIC.





#### DISCOVER THE POSSIBILITIES WITH THE TL70SL.

With an innovative, versatile design the compact TL70sl is easy to install and simple to service. The TL70sl can be wall mounted and installed directly to any internal outside facing wall.

One of the biggest advantages is that there is minimal building work required and with an output of 3.8kW and an impressive efficiency rating of B, the TL70sl will fit perfectly with virtually all interiors with sleek lines for a contemporary living statement.

The TL70sl utilises the same features as the other appliances within the range. The TL70 is remotely operated and to alleviate the need for batteries a mains adaptor is supplied as standard.

## TL70SL.



### TL70SL WITH INTEGRATED HEAT BOX.



#### NEW INTEGRATED HEAT BOX.

When the TL70sl is installed with our new bespoke Integrated Heat Box (IHB) it allows you to construct the installation from combustible materials making the fire a versatile choice in most modern building applications.

The use of the integrated heat box allows the appliance to be installed in situations where combustible surfaces or materials would or may hinder the installation given the risk of heat and allows quicker access for service and maintenance.

- Easy to install & simple to service
- Can be fitted with the use of combustible materials\* when installing with the Integrated Heat Box
- Slimline appliance only 155mm depth
- Can be wall mounted or installed within a suite
- Can be installed directly to any internal outside facing wall
- Energy class B 84% efficient
- Can be installed into a cavity wall
- Realistic log effect
- Comes complete with mains adaptor

#### UPGRADE OPTIONS.

For that extra WOW factor, there is also an option to upgrade to a black glass lining within the combustion chamber which offers a remarkable effect of added depth and detail. Other available upgrades also include Wi-Fi, vermiculite interior lining and alternative frame options.



Black Glass upgrade



Vermiculite Bricks upgrade



<sup>\*</sup>Please refer to installation instructions when fitting with or without the IHB

### TL70SL RADLEY.



## TL70SL RICO.



## UNIQUE STYLING.

Vision Trimline fires offer a sense of true minimalist beauty. However, if your home style dictates, there can sometimes be a requirement for a little more flare, even extravagance!

To address this, we have created an option to combine any standard\* mantel with the TL73H giving you more choice to create your very own unique fireplace.

There are no limits to your creativity with the TL73H option, we have put together a collection of ideas on pages 49 to 51 for inspiration.

\*Ask your approved stockists for details.













# CONVENTIONAL THINKING.

If your home does feature a conventional brick chimney and you wish to utilise this, then we have that covered with our TL60cf appliance. Like our balanced flued appliances, the TL60cf can be fitted trimless, with the classically styled Woodbury fireplace suite, or with a variety of mantels to create a truly unique focal point to your living space.

#### TL60CF WOODBURY SUITE.











#### TECHNOLOGY.

#### EVERYTHING YOU NEED IN ONE PACKAGE

- **Ecomax remote control** this sleek designed handset features a thermostatic control countdown timer to automatically turn off the fire, and an Ecomax button, allowing adjustment of the flames to regulate room temperature resulting in a 40% energy saving.
- Adjustable legs allowing you to easily install the fire at your desired height without the need for further, unnecessary building work.
- Control access door a neat, gloss finish, access system to allow access to the manual fire controls.
- Convection vents two of these are supplied with each fire to allow convected hot air from the chimney into your room.

#### DOUBLE BURNER (DB) FEATURE

With the exception of the TL38, TL46, TL60CF AND TL63C/P models, all other Vision Trimline fires are equipped with an innovative double burner system. This clever feature staggers the flame pattern in two rows and gives an extra sense of depth and realism whilst offering a more economical way to use your fire. At the touch of a button the front burner row remains active whilst the rear burner row diminishes, giving unparalleled visual effect with a reduction of 40% of the heat output. Used in combination with the Ecomax remote control can result in the benefit of reduced running costs of up to 60%.

#### GO Wi-Fi FOR MAXIMUM CONTROL

Introducing the latest optional upgrade option for Vision Trimline fires, the Myfire app uses wireless technology that connects the fire to your home Wi-Fi network. You can now take control using your smartphone or tablet with features such as:

- Temperature adjustment and thermostatic control
- Flame pattern adjustment and animated wave profiles
- Individual user profiles
- Countdown timer
- Weekly programming









#### ANTI-REFLECTIVE GLASS

Anti-reflective glass (ARG) which is available on many Vision Trimline models is a premium feature that allows you to maximise your experience of the beautiful flames giving the appearance of an open fire whilst having the convenience of a gas appliance. This clever feature gives the illusion that there is no glass between the fire and you, creating an even more authentic experience.

#### BURNING LOGS TECHNOLOGY

All TL83 models incorporate the latest burning logs technology to recreate the most authentic, realistic looking flame ever. Combined with high definition, ultra realistic ceramic logs, this innovate feature creates a fire so realistic it cannot be distinguished from a natural, living fire. For the ultimate in warm ambiance, the optional LED glowing fuel bed creates a subtle, relaxing impression of gently burning embers.

#### INTERIOR STYLING & FUELBED OPTIONS

For that extra WOW factor, why not choose to upgrade to a black mirrored glass lining for your fire chamber and add a reflection to the fuel bed and flames to give a remarkable effect of added depth and detail. If burning logs is not the look you are going for, then perhaps you would be more interested in an alternative fuel bed for your fire. The collection features a range of stunning options to choose from.



# OPTIONAL EXTRAS. SOMETHING A LITTLE DIFFERENT?

	TL38/C	TL38P	TL46	TL60CF	TL63H	TL63 C/P	TL73	TL73H	TL73RD/HT	TL70SL	TL83	
HI DEFINITION LOGS	<b>✓</b>	<b>✓</b>	✓	<b>✓</b>	✓	✓	✓	✓	✓	✓	<b>✓</b>	
PEBBLES			×	×		•			•	×	×	Г
CARRARA STONES	×	×	×	×	•	×	×	×	×	×	×	
BASALT	×	×	×	×	•	×	×	×	×	×	×	
FLAT STEEL CHAMBER	✓	✓	✓	✓	✓	✓	✓	✓	✓	×	✓	
LAMEL CHAMBER PANELS	✓	✓	×	✓	✓	✓	✓		×	×	×	
VERMICULITE CHAMBER PANELS	×	×	×	×	×	×	×	•	×	•	×	
FIRE BRICK CHAMBER PANELS	×	×	×	×	×	×	×	•	×	×	×	
BLACK GLASS CHAMBER PANELS	×	×	×	•	•	×	×	•	×	•	•	
BLACK GROOVE CHAMBER PANELS	×	×	×	×	×	×	×	×	×	✓	•	
INTERIOR GREY BRICK CHAMBER PANELS	×	×	×	×	×	×	×	×	×	×	•	
WiFi KIT	•		•	•	•	•	•		•		•	
ANTI REFLECTIVE GLASS (ARG)	×	•	×	•	•	•	•	•	•	•	•	
LED GLOWING FUELBED	×	×	×	×	×	×	×	×	×	×	•	
BURNING LOGS FUELBED	×	×	×	×	×	×	×	x	×	x	<b>✓</b>	

<sup>✓ =</sup> Comes as standard

<sup>× =</sup> Not available

Optional Extra

TL83P	TL100	TL100C	TL100P	TL100T	TL120	TL120C	TL120P	TL120T	TL140	TL140C	TL140P	TL170			
<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	✓	✓	<b>✓</b>	<b>✓</b>	<b>✓</b>	✓	✓	<b>✓</b>			
×	•	•	•	•	•	•	•	•	•	•	•	•			
×	•	•	•	•	•	•	•	•	•	•	•	•			
×		•	•		•		•		•	•	•	•			
✓	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	✓	✓	<b>✓</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>			
×	✓	✓	✓	✓	<b>✓</b>	<b>✓</b>	✓	✓	✓	✓	✓	✓		in.	
×	×	×	×	×	×	×	×	×	×	×	×	×		1	
×	×	×	×	×	×	×	×	×	×	×	×	×		100	(1) Sala
•	•	•		×	•	•	•	×	•	•	•	•			2.80
	×	×	×	×	×	×	×	×	×	×	×	×			4
•	×	×	×	×	×	×	×	×	×	×	×	×	4434		
•	•	•	•	•	•	•	•	•	•	•	•	•	120		
•	•	•	•	•	•	•	•	•	•	•	•	•			
•	×	×	×	×	×	×	×	×	×	×	×	×	S	Sept.	
✓	×	×	×	×	×	×	×	×	×	x	×	×	1		March 1
															59

## TECHNICAL SPECIFICATION.

	TL38/C/P		TL46		TL60CF		TL63H		TL63C/P		TL73		TL73H/RD		TL73HT		TL70SL		TL83	
GAS TYPE	NG	LPG	NG	LPG	NG	LPG	NG	LPG	NG	LPG	NG	LPG	NG	LPG	NG	LPG	NG	LPG	NG	LPG
HEAT INPUT (kW)	6.4	6.17	6.6	6.7	6.8	6.4	9.2	8.4	8.4	8.1	11.3	8.8	11.3	8.8	11.3	8.8	4.5	4	11.5	11.9
HEAT OUTPUT MAX (kW)	5.4	5.2	5.7	5.7	5.1	4.8	8.1	7.3	7.1	6.8	10.1	7.6	10.1	7.6	10.1	7.6	3.8	3.3	9.5	9.6
HEAT OUTPUT MIN (kW)	2.8	2.5	2.5	2.6	2.5	2.9	3.1	2.9	3.3	3.2	3.6	3.1	3.7	2.5	3.7	2.5	2.8	2.0	2.6	2.6
EFFICIENCY (%)*	82	84	86	85	75	76	86	86	85	84	89	86	89	86	89	86	84	83	83	82
FLUE SIZE (MM)	100/150		100	150	10	00	100	/150	100	/150	130	/200	130/	/200	130	/200	100	/150	130/	200
ERP RATING	В	В	В	В	D	D	В	В	В	В	Α	В	Α	Α	Α	Α	В	В	В	В

	TL83 C/P		TL100		TL100C/P		TL100T		TL120		TL120C/P		TL120T		TL140		TL140C/P		TL170	
GAS TYPE	NG	LPG	NG	LPG	NG	LPG	NG	LPG	NG	LPG	NG	LPG	NG	LPG	NG	LPG	NG	LPG	NG	LPG
HEAT INPUT (kW)	11.5	11.9	11.1	9.3	11.1	9.3	11.1	9.3	11.3	9.8	11.3	9.8	11.3	9.8	14.5	13.2	14.5	11.0	15.3	15.1
HEAT OUTPUT MAX (kW)	9.5	9.6	9.4	7.9	9.7	8.3	9.4	7.9	9.6	8.3	11.2	11.4	9.6	8.3	13.9	11.2	14.2	12	12.2	12.1
HEAT OUTPUT MIN (kW)	2.6	2.6	3.7	2.9	3.8	3.1	3.7	2.9	3.8	3.2	4.4	3.7	3.8	3.2	4.8	4.1	5.0	3.4	4.8	4.5
EFFICIENCY (%)*	83	82	84	84	87	88	84	84	84	85	84	82	84	85	85	85	83	86	82	82
FLUE SIZE (MM)	130/200		130	/200	130	/200	130	/200	130	/200	130	/200	130	/200	130	/200	130	/200	130	/200
ERP RATING	В	В	В	В	В	В	В	В	В	В	В	В	В	В	В	В	В	В	В	В

<sup>\*</sup>EEI best performance.

#### FLUE SYSTEMS.


All Vision Trimline fires (excluding the TL60cf) use a specialised double wall concentric flue system. The THC-CC system is an obligatory and integral part of the complete combustion system and must be used when installing the fire. THC-CC is made of high quality 0.5mm thick stainless steel AISI 316 inner and AISI 304 outer-liner.


A wide range of flue/chimney components allows for easy installation when terminating through the wall or the roof in an existing chimney or a dedicated fabrication. Please consult your nearest dealer for more details. The THC-CC system is approved according to CE in combination with all Vision Trimline balanced flue gas fires.





## PRODUCT DIMENSIONS.

All dimensions are in millimetres. Red highlighted areas indicate parts of the fireplace that sit within the chimney/wall.













## PRODUCT DIMENSIONS.


All dimensions are in millimetres.
































All dimensions are in millimetres.

